verf.nl Veiligheidsinformatie



Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010 Glitsa Vloerreiniger

Page 1 of 9

AkzoNobel

Date 2015-03-17

Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier 1.2 Relevant identified uses of the substance or	Glitsa Vloerreiniger Cleaning
mixture and uses advised against 1.3 Details of the supplier of the safety data sheet	Akzo Nobel Decorative Coatings BV Glitsa
Address	Rijksstraatweg 31, 2171AJ, Sassenheim The Netherlands
Telephone/ Telefax	Tel +31(0)71-3086944/ Fax +31(0)71- 3082002
Homepage/E-mail	HSE_NL@akzonobel.com
1.4 Emergency telephone number	112, +46 (0)8-331231 Swedish poison information
SECTION 2: Hazards identification	

2.1 Classification:

Classification (1999/45/EC) This product is not classified as flammable, harmful or dangerous for the environment. Classification CLP (1272/2008/EC) Serious eye irritation - Category 2; H319 2.2 Label elements: Pictogram



Signal Word: Warning

Containing substances Alcohols, C12-14, ethoxylated Hazard statement Code(s) H319 Causes serious eye irritation. Precautionary statements P102 Keep out of reach of children. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. 2.3 Other hazards

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010 Glitsa Vloerreiniger

Date 2015-03-17

Version 1

SECTION 3: Composition/information on ingredients

3.2 Chemical composition: Mixture

Components	CAS-No EC-No Reg-No	Conc. %	Symbol R-phrases*	Hazard Class and Category Code(s)	Hazard statement Code(s)*
2-(2- butoxyethoxy)ethanol	112-34-5 203-961-6	1-10	Xi; R36	Eye Irrit. 2	H319
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	1-<5	F; R11	Flam. Liq. 2	H225
Alcohols, C12-14, ethoxylated	68439-50-9 932-106-6	1-<3	Xn; R22 Xi; R41	Acute Tox. 4 Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412

* The full text of Risk phrases and Hazard statement Codes are listed under heading 16. Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels. The classification is based on information from the chemical supplier and http://echa.europa.eu/ (Databases)

Description of symbols abbreviations

T= Toxic; T+= Very toxic; C= Corrosive; Xn= Harmful; Xi= Irritant; O= Oxidizing; E= Explosive; F= Highly flammable; F+= Extremely flammable; N= Dangerous to the environment

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information

In all cases of doubt, or when symptoms persist, seek medical advice. Never give fluids or induce vomiting if patient is unconscious.

Keep person warm and calm.

Inhalation

Fresh air.

Skin contact

Take off all contaminated clothing. Wash with water.

Eye contact

Rinse immediately with water for several minutes. Remove potential contact lenses. Hold eyelids apart. Contact a doctor if the complaints persist.

Ingestion

Rinse mouth with water and drink several glasses of water or milk. Contact a doctor if the complaints persist.

4.2 Most important symptoms and effects, both acute and delayed:

Inhalation:	Vapour/spray could be irritating to the respiratory system. (Coughing)		
Skin contact:	Prolonged or often repeated contact has a desiccating effect on the skin. May cause dry skin		
	and skin cracking.		
Eye contact:	Irritating to eyes. (Burning, redness)		
Ingestion:	Ingestion can cause nausea, pain.		

4.3 Indication of any immediate medical attention and special treatment needed

Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010

Glitsa Vloerreiniger

Date 2015-03-17

SECTION 5: Firefighting measures

5.1 Extinguishing media Water spray, fog or mist, foam, powder, carbon dioxide. 5.2 Special hazards arising from the substance or mixture Do not breathe fumes. During fire, gases hazardous to health may be formed. 5.3 Special protective equipment Appropriate breathing apparatus may be required. Additional information Cool endangered containers with water in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Run risks of slipperiness. Avoid contact with eves. Use suitable personal protective equipment. 6.2 Environmental precautions Do not flush larger amounts into surface water or sanitary sewer system. 6.3 Methods and material for containment and cleaning up Re-use product if possible. Small quantities may be flushed or wiped up. Larger spill: Contain spill with inert material. Absorb in vermiculite, drv sand or earth. 6.4 Reference to other sections See section 7 for proper handling and storage. For personal protection see section 8.

For disposal of spillage, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Run risks of slipperiness. Avoid contact with eyes. Use suitable personal protective equipment. Wash hands during work breaks and at the end of the shift. 7.2 Conditions for safe storage, including any incompatibilities Store in tightly closed container. 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Appropriate engineering controls

Provide adequate ventilation.

Eyewash station should be provided.

Exposure limits:

Swedish limit values or limit values according to the European commission

Substance	CAS-No	Level limit	Ceiling limit	Short time	Note
		value	value	value	
2-(2-butoxyethoxy)ethanol	112-34-5	15 ppm	-	30 ppm	
		100 mg/m ³		200 mg/m ³	
Ethanol	64-17-5	500 ppm	-	1000 ppm	
		1000 mg/m ³		1900 mg/m ³	

Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010 Glitsa Vloerreiniger

Date 2015-03-17

SECTION 8: Exposure controls/personal protection (...)

DNEL

2-(2-butoxyethoxy)ethanol (112-34-5)	Short term exposure - Workers
	Local effects, inhalation: 101.2 mg/m ³
	Exposure - Consumers
	Effects, oral: 1.25 mg/kg
	Exposure - Consumers
	Local effects, inhalation: 34 mg/kg
	Long term exposure - Consumers
	Systematic effects, inhalation: 34 mg/kg
	Long term exposure - Workers
	Systematic effects, dermal: 20 mg/kg
	Long term exposure - Workers
	Systematic effects, inhalation: 67.5 mg/m ³
	Short term exposure - Consumers
	Local effects, inhalation: 50.6 mg/m ³
	Exposure - Consumers
	Effects, dermal: 10 mg/kg
Ethanol (64-17-5)	Exposure - Workers
	Effects,, inhalation: 950 mg/m ³
	Exposure - Workers
	Effects, dermal: 343 mg/kg bodyweight/day
	Exposure - Consumers
	Effects, inhalation: 114 mg/m ³
	Exposure - Consumers
	Effects, dermal: 206 mg/m ³
	Exposure - Consumers
	Effects, oral: 87 mg/kg bodyweight/day

PNEC

0.4 mg/kg	Sediment
1 mg/l	Seawater
4 mg/kg	Wet sediment (Seawater)
1 mg/l	Freshwater
0.4 mg/kg	Soil
0.96 mg/l	Freshwater
0.79 mg/l	Seawater
	1 mg/l 4 mg/kg 1 mg/l 0.4 mg/kg 0.96 mg/l

8.2 Exposure controls:

General protective and hygiene measures

Wash hands before breaks and after work.

Handle in accordance with good industrial hygiene and safety practice.

Individual protection measures, such as personal protective equipment:

Always consult a competent person/supplier when selecting personal protective equipment.

Respiratory protection

Normally not needed.

Hand protection

Normally not needed. For prolonged and frequent contact with the product use protective gloves. (eg Nitrile rubber , PVC)

Eye protection

Protective gloves must be used if there is a risk of direct contact or splash

Clothing requirements:

Wear suitable protective clothing.

Version 1

Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010

Glitsa Vloerreiniger

Date 2015-03-17

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties: Form: Colour: Odour: Density: Odor threshold: pH-value (Concentrate): Melting point/Freezing point (°C): Boiling point/range (°C): Flash point (°C): **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability limits or explosive limits (VOL-%): Vapour pressure: Vapour density (air=1): Solubility in water: Partition coefficient: n-octanol/water: Auto-ignition temperature (C): Decomposition temperature (°C): Viscosity: **Explosive properties:** Oxidising properties: Organic solvents (W-%)

Liquid Slightly greenish Organic solvents 1,0 kg/l Not available About 9 Not available Not available Not available Not available Not available 13/2 Not available Not available Soluble Not available Not available Not available Not available Not available Not available 8.0

9.2 Other information: No specific.

SECTION 10: Stability and reactivity

10.1 Reactivity
Stable under recommended storage and handing conditions.
10.2 Chemical stability
Stable.
10.3 Possibility of hazardous reactions
None, if storage and handling is done according to specification.
10.4 Conditions to avoid
None, if storage and handling is done according to specification.
10.5 Incompatible materials
No known.
10.6 Hazardous decomposition products
None, if storage and handling is done according to specification.

Version 1

SECTION 11: Toxicological information

11.1 Information on toxicological effects

See also section 4. (Most important symptoms and effects, both acute and delayed) Inhalation Vapour/spray could be irritating to the respiratory system. Skin contact Prolonged or often repeated contact has a desiccating effect on the skin. May cause dry skin and skin cracking. Eye contact Irritating to eyes. Ingestion Ingestion can cause nausea, pain and/or vomiting.

Toxicology data

Toxicology data about this preparation is not available.

Toxicology data for the containing components:

2-(2-butoxyethoxy)ethanol (112-34-5)	LD ₅₀ Oral rat: >2000 mg/kg
	LD ₅₀ Dermal rabbit: >2000 mg/kg
Ethanol (64-17-5)	LD ₅₀ Oral rat: >2000 mg/kg
	LD ₅₀ Dermal rabbit: >2000 mg/kg
	LC_{50} Inhaled mouse 4h: >20 mg/l (fumes)
Alcohols, C12-14, ethoxylated (68439-50-9)	LD ₅₀ Oral rat: >300-2000 mg/kg
	LD ₅₀ Dermal rabbit: >2000 mg/kg

STOT-single exposure -repeated exposure. No known. Routes of exposure Eyes and skin, inhalation and ingestion. Allergenic potential This product is not classified as allergenic by inhalation or skin contact. Carcinogenicity, mutagenicity and toxicity for reproduction This product is not classified as carcinogen, mutagen and toxic for reproduction. Other information None.

Version 1

SECTION 12: Ecological information

This product is not classified as dangerous for the environment. Do not flush into surface water or sanitary sewer system. **12.1 Toxicity**

Toxicology data about this preparation is not available.

Toxicology data for the containing components:

2-(2-butoxyethoxy)ethanol (112-34-5)	LC ₅₀ Fish: >1300 mg/l Sp: Lepomis macrochirus
	EC ₅₀ Algae: >100 mg/l Sp: Desmodesmus subspicatus
	EC ₅₀ Daphnia 48h: >100 mg/l Sp: D. magna
Ethanol (64-17-5)	LC ₅₀ Fish 48h: > 100 mg/l Sp: Leuciscus idus
	EC ₅₀ Daphnia 48h >100 mg/l Sp: Daphnia magna
	EC ₅₀ Algae 48h: >100 mg/l Selenastrum capricornutum
Alcohols, C12-14, ethoxylated (68439-50-9)	LC ₅₀ Fish 96h: >1-10 mg/l Sp: Cyprinus carpio
	EC ₅₀ Daphnia 48h: >1-10 mg/l Sp: Daphnia magna
	EC ₅₀ Algae 72h: >1-10 mg/l Sp: Desmodesmus subspicatus:
	EC ₁₀ Algae 72h: >0.1-1 mg/l Sp: Scenedesmus subspicatus:
	EC ₅₀ Bacteria activated sludge: 140 mg/l
	NOEC: 10 mg/kg; Lepidium sativum

12.2 Persistence and degradability

2-(2-butoxyethoxy)ethanol (112-34-5) - Readily biodegradable.

Ethanol (64-17-5) - Readily biodegradable.

Alcohols, C12-14, ethoxylated (68439-50-9) - Biodegradable.

12.3 Bioaccumulative potential

Does not bioaccumulate. LogPow: 0.68 - 2-(2-butoxyethoxy)ethanol (112-34-5)

Does not bioaccumulate. - Ethanol (64-17-5)

No bioaccumulation expected - Alcohols, C12-14, ethoxylated (68439-50-9)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

12.6 Other adverse effects

No known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
The product
This product or residues of this product are not classified as hazardous waste.
Dispose of in accordance with local authority requirements.
Suggested EWC-code: 20 01 30 detergents other than those mentioned in 20 01 29.
Disposal of Packaging
Well cleaned packaging could be left for recycling

Version 1

SECTION 14: Transport information

The product are not classified as dangerous goods according to ADR/RID, IMDG, DGR. **14.1 UN number**

14.2 UN proper shipping name (IMDG, IATA/ICAO):

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazardsMarine pollutant: No14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Classification according to CLP (1272/2008/EC). REACH 1907/2006/EC 15.2 Chemical safety assessment None.

SECTION 16: Other information

The full text of Risk phrases and Hazard statement Codes listed under section 3:

R11 Highly flammable.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R41 Risk of serious damage to eyes.
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

This information is provided for health and safety assessments by an industrial user. Reference should be made to any relevant local or national health, safety, and environmental legislation.

Version 1: 2015-03-17. Safety data sheet according to Regulation (EC) No. 1907/2006 and (EG) 453/2010.

Abbreviations explanations

ADR: International Carriage of Dangerous Goods by Road BCF: Bio Concentration Factor CAS-nr: Chemical Abstracts Service number DNEL: Derived No Effect Level EC₅₀: Effect Concentration EG-nr: A substance number i Einecs, Elincs or in No-Longer Polymers List.

Safety data sheet Regulation (EC) No. 1907/2006 and (EG) 453/2010

Glitsa Vloerreiniger

Date 2015-03-17

IMDG: International Maritime Dangerous Goods Code. LC₅₀: Lethal Concentration

SECTION 16: Other information (...)

LD₅₀: Lethal Dose

IC₅₀: Median Inhibition Concentration

NOEC: No Observed Effect Concentration

PBT-substance: Persistent, Bio accumulative and Toxic substances.

PNEC: Predicted No Effect Concentration

vPvB-substance: Very persistent and Very Bio accumulative substances.

Version 1

vërf.nl

Vragen? Stuur een e-mail naar: klantenservice@verf.nl